

По вопросам продаж и поддержки обращайтесь:

Самары (7273)495-231
Архангельск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48

Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курган (3522)50-90-47
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Ноябрьск (3496)41-32-12

Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саранск (8342)22-96-24
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35

Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

<https://abbdrives.nt-rt.ru/> || aei@nt-rt.ru

УСТРОЙСТВА БЕСПРОВОДНЫЕ

Техническое описание на

индуктивные беспроводные

датчики WSIF, WSIN



WSIF015-M8N

WSIF015-M8N, ind.Sens. f.Wireless, 1.5mm



General Information

Extended Product Type	WSIF015-M8N
Product ID	1SAF108911R3000
ABB Type Designation	WSIF015-M8N
Catalog Description	WSIF015-M8N, ind.Sens. f.Wireless, 1.5mm
Long Description	WSIF015-M8N, ind.Sens. f.Wireless, 1.5mm

Additional Information

ABB Type Designation	WSIF015-M8N
CN8	85413000
Country of Origin	Germany (DE)
Customs Tariff Number	85413000
Data Sheet, Technical Information	2CDC142004D0202
Declaration of Conformity - CE	1SAD938500-0067
Degree of Protection	acc. to IEC 60529 IP67
Environmental Information	1SAA952005-2401
Frame Size	Spare_Parts_Sc
Gross Weight	0.03 kg
Housing Material	Nickel plated brass
Hysteresis Range	<=10 %
Instructions and Manuals	2CDC142004D0202
Invoice Description	WSIF015-M8N, ind.Sens. f.Wireless, 1.5mm
Made To Order	No
Minimum Order Quantity	1 piece
Mounting Type	Flush mounting
Object Classification Code	B
Operating Distance (S _n)	0 ... 1.21 mm
Order Multiple	1 piece
Product Main Type	WSIF015
Product Name	Sensor head
Product Net Depth / Length	60 mm
Product Net Height	12 mm
Product Net Weight	0.03 kg
Product Net Width	12 mm
Product Type	PLC-Wireless
Quote Only	No
Resistance to Shock acc. to IEC 60068-2-27	T<=11ms, Shock b <30 m/s ²
RoHS Information	1SAA952002-4401
RoHS Status	No declaration needed
Selling Unit of Measure	piece
Short Description	WSIF015-M8N, ind.Sens. f.Wireless, 1.5mm
Stocked At (Warehouses)	Menden, Germany
Temperature Drift	+10 %
Tightening Torque	3 N·m
Two Speed Motor	No
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

WSIF020-M12N

WSIF020-M12N, ind.Sens. f.Wireless, 2mm



General Information

Extended Product Type	WSIF020-M12N
Product ID	1SAF112911R3000
ABB Type Designation	WSIF020-M12N
Catalog Description	WSIF020-M12N, ind.Sens. f.Wireless, 2mm
Long Description	WSIF020-M12N, ind.Sens. f.Wireless, 2mm

Additional Information

ABB Type Designation	WSIF020-M12N
Ambient Air Temperature	Operation -25 ... 70 °C Storage -40 ... 70 °C
CN8	85413000
Country of Origin	Germany (DE)
Customs Tariff Number	85413000
Data Sheet, Technical Information	2CDC142004D0202
Declaration of Conformity - CE	1SAD938500-0067
Degree of Protection	acc. to IEC 60529 IP67
Environmental Information	1SAA952005-2401
Frame Size	Spare_Parts_Sc
Gross Weight	0.04 kg
Housing Material	Nickel plated brass
Hysteresis Range	<=10 %
Instructions and Manuals	2CDC142004D0202
Invoice Description	WSIF020-M12N, ind.Sens. f.Wireless, 2mm
Made To Order	No
Minimum Order Quantity	1 piece
Mounting Type	Flush mounting
Object Classification Code	B
Operating Distance (S _n)	0 ... 1.62 mm
Order Multiple	1 piece
Product Main Type	WSIF020
Product Name	Sensor head
Product Net Depth / Length	60 mm
Product Net Height	12 mm
Product Net Weight	0.03 kg
Product Net Width	12 mm
Product Type	PLC-Wireless
Quote Only	No
Resistance to Shock acc. to IEC 60068-2-27	T<=11ms, Shock b <30 m/s ²
RoHS Information	1SAA952002-4401
RoHS Status	No declaration needed
Selling Unit of Measure	piece
Short Description	WSIF020-M12N, ind.Sens. f.Wireless, 2mm
Stocked At (Warehouses)	Menden, Germany
Temperature Drift	+10 %
Tightening Torque	10 N·m
Two Speed Motor	No
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

WSIF050-M18N

WSIF050-M18N, ind.Sens. f.Wireless, 5mm



General Information

Extended Product Type	WSIF050-M18N
Product ID	1SAF118911R3000
ABB Type Designation	WSIF050-M18N
Catalog Description	WSIF050-M18N, ind.Sens. f.Wireless, 5mm
Long Description	WSIF050-M18N, ind.Sens. f.Wireless, 5mm

Additional Information

ABB Type Designation	WSIF050-M18N
Ambient Air Temperature	Operation -25 ... 70 °C Storage -40 ... 70 °C
CN8	85413000
Country of Origin	Germany (DE)
Customs Tariff Number	85413000
Data Sheet, Technical Information	2CDC142004D0202
Declaration of Conformity - CE	1SAD938500-0067
Degree of Protection	acc. to IEC 60529 IP67
Environmental Information	1SAA952005-2401
Frame Size	Spare_Parts_Sc
Gross Weight	0.07 kg
Housing Material	Nickel plated brass
Hysteresis Range	<=10 %
Instructions and Manuals	2CDC142004D0202
Invoice Description	WSIF050-M18N, ind.Sens. f.Wireless, 5mm
Made To Order	No
Minimum Order Quantity	1 piece
Mounting Type	Flush mounting
Object Classification Code	B
Operating Distance (S _n)	0 ... 4.05 mm
Order Multiple	1 piece
Product Main Type	WSIF050
Product Name	Sensor head
Product Net Depth / Length	60 mm
Product Net Height	18 mm
Product Net Weight	0.06 kg
Product Net Width	18 mm
Product Type	PLC-Wireless
Quote Only	No
Resistance to Shock acc. to IEC 60068-2-27	T<=11ms, Shock b <30 m/s ²
RoHS Information	1SAA952002-4401
RoHS Status	No declaration needed
Selling Unit of Measure	piece
Short Description	WSIF050-M18N, ind.Sens. f.Wireless, 5mm
Stocked At (Warehouses)	Menden, Germany
Temperature Drift	+10 %
Tightening Torque	30 N·m
Two Speed Motor	No
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

WSIF100-M30N

WSIF100-M30N, ind.Sens. f.Wireless, 10mm



General Information

Extended Product Type	WSIF100-M30N
Product ID	1SAF130911R3000
ABB Type Designation	WSIF100-M30N
Catalog Description	WSIF100-M30N, ind.Sens. f.Wireless, 10mm
Long Description	WSIF100-M30N, ind.Sens. f.Wireless, 10mm

Additional Information

ABB Type Designation	WSIF100-M30N
Ambient Air Temperature	Operation -25 ... 70 °C Storage -40 ... 70 °C
CN8	85413000
Country of Origin	Germany (DE)
Customs Tariff Number	85413000
Data Sheet, Technical Information	2CDC142004D0202
Declaration of Conformity - CE	1SAD938500-0067
Degree of Protection	acc. to IEC 60529 IP67
Environmental Information	1SAA952005-2401
Frame Size	Spare_Parts_Sc
Gross Weight	0.14 kg
Housing Material	Nickel plated brass
Hysteresis Range	<=10 %
Instructions and Manuals	2CDC142004D0202
Invoice Description	WSIF100-M30N, ind.Sens. f.Wireless, 10mm
Made To Order	No
Minimum Order Quantity	1 piece
Mounting Type	Flush mounting
Object Classification Code	B
Operating Distance (S _n)	0 ... 8.1 mm
Order Multiple	1 piece
Product Main Type	WSIF100
Product Name	Sensor head
Product Net Depth / Length	60 mm
Product Net Height	30 mm
Product Net Weight	0.14 kg
Product Net Width	30 mm
Product Type	PLC-Wireless
Quote Only	No
Resistance to Shock acc. to IEC 60068-2-27	T<=11ms, Shock b <30 m/s ²
RoHS Information	1SAA952002-4401
RoHS Status	No declaration needed
Selling Unit of Measure	piece
Short Description	WSIF100-M30N, ind.Sens. f.Wireless, 10mm
Stocked At (Warehouses)	Menden, Germany
Temperature Drift	+10 %
Tightening Torque	30 N·m
Two Speed Motor	No
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

WSIN020-M8N

WSIN020-M8N, ind.Sens. f.Wireless, 2mm



General Information

Extended Product Type	WSIN020-M8N
Product ID	1SAF108921R3000
ABB Type Designation	WSIN020-M8N
Catalog Description	WSIN020-M8N, ind.Sens. f.Wireless, 2mm
Long Description	WSIN020-M8N, ind.Sens. f.Wireless, 2mm

Additional Information

ABB Type Designation	WSIN020-M8N
Ambient Air Temperature	Operation -25 ... 70 °C Storage -40 ... 70 °C
CN8	85413000
Country of Origin	Germany (DE)
Customs Tariff Number	85413000
Data Sheet, Technical Information	2CDC142004D0202
Declaration of Conformity - CE	1SAD938500-0067
Degree of Protection	acc. to IEC 60529 IP67
Environmental Information	1SAA952005-2401
Frame Size	Spare_Parts_Sc
Gross Weight	0.03 kg
Housing Material	Nickel plated brass
Hysteresis Range	<=10 %
Instructions and Manuals	2CDC142004D0202
Invoice Description	WSIN020-M8N, ind.Sens. f.Wireless, 2mm
Made To Order	No
Minimum Order Quantity	1 piece
Mounting Type	Non flush mounting
Object Classification Code	B
Operating Distance (S _n)	0 ... 1.62 mm
Order Multiple	1 piece
Product Main Type	WSIN020
Product Name	Sensor head
Product Net Depth / Length	60 mm
Product Net Height	12 mm
Product Net Weight	0.03 kg
Product Net Width	12 mm
Product Type	PLC-Wireless
Quote Only	No
Resistance to Shock acc. to IEC 60068-2-27	T<=11ms, Shock b <30 m/s ²
RoHS Information	1SAA952002-4401
RoHS Status	No declaration needed
Selling Unit of Measure	piece
Short Description	WSIN020-M8N, ind.Sens. f.Wireless, 2mm
Stocked At (Warehouses)	Menden, Germany
Temperature Drift	+10 %
Tightening Torque	3 N·m
Two Speed Motor	No
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

WSIN040-M12N

WSIN040-M12N, ind.Sens. f.Wireless, 4mm



General Information

Extended Product Type	WSIN040-M12N
Product ID	1SAF112921R3000
ABB Type Designation	WSIN040-M12N
Catalog Description	WSIN040-M12N, ind.Sens. f.Wireless, 4mm
Long Description	WSIN040-M12N, ind.Sens. f.Wireless, 4mm

Additional Information

ABB Type Designation	WSIN040-M12N
Ambient Air Temperature	Operation -25 ... 70 °C Storage -40 ... 70 °C
CN8	85413000
Country of Origin	Germany (DE)
Customs Tariff Number	85413000
Data Sheet, Technical Information	2CDC142004D0202
Declaration of Conformity - CE	1SAD938500-0067
Degree of Protection	acc. to IEC 60529 IP67
Environmental Information	1SAA952005-2401
Frame Size	Spare Parts Sc
Gross Weight	0.03 kg
Housing Material	Nickel plated brass
Hysteresis Range	<=10 %
Instructions and Manuals	2CDC142004D0202

Invoice Description	WSIN040-M12N, ind.Sens. f.Wireless, 4mm
Made To Order	No
Minimum Order Quantity	1 piece
Object Classification Code	B
Operating Distance (S _n)	0 ... 3.24 mm
Order Multiple	1 piece
Product Main Type	WSIN040
Product Name	Sensor head
Product Net Depth / Length	60 mm
Product Net Height	12 mm
Product Net Weight	0.03 kg
Product Net Width	12 mm
Product Type	PLC-Wireless
Quote Only	No
Resistance to Shock acc. to IEC 60068-2-27	T<=11ms, Shock b <30 m/s ²
RoHS Information	1SAA952002-4401
RoHS Status	No declaration needed
Selling Unit of Measure	piece
Short Description	WSIN040-M12N, ind.Sens. f.Wireless, 4mm
Stocked At (Warehouses)	Menden, Germany
Temperature Drift	+10 %
Tightening Torque	10 N·m
Two Speed Motor	No
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

WSIN080-M18N

WSIN080-M18N, ind.Sens. f.Wireless, 8mm



General Information

Extended Product Type	WSIN080-M18N
Product ID	1SAF118921R3000
ABB Type Designation	WSIN080-M18N
Catalog Description	WSIN080-M18N, ind.Sens. f.Wireless, 8mm
Long Description	WSIN080-M18N, ind.Sens. f.Wireless, 8mm

Additional Information

ABB Type Designation	WSIN080-M18N
Ambient Air Temperature	Operation -25 ... 70 °C Storage -40 ... 70 °C
CN8	85413000
Country of Origin	Germany (DE)
Customs Tariff Number	85413000
Data Sheet, Technical Information	2CDC142004D0202
Declaration of Conformity - CE	1SAD938500-0067
Degree of Protection	acc. to IEC 60529 IP67
eClass	27-24-22-92
Environmental Information	1SAA952005-2401
Frame Size	Spare Parts Sc
Gross Weight	0.06 kg
Housing Material	Nickel plated brass
Hysteresis Range	<=10 %
Instructions and Manuals	2CDC142004D0202
Invoice Description	WSIN080-M18N, ind.Sens. f.Wireless, 8mm
Made To Order	No
Minimum Order Quantity	1 piece
Mounting Type	Non flush mounting
Object Classification Code	B
Operating Distance (S _n)	0 ... 6.5 mm
Order Multiple	1 piece
Product Main Type	WSIN080
Product Name	Sensor head
Product Net Depth / Length	60 mm
Product Net Height	18 mm
Product Net Weight	0.06 kg
Product Net Width	18 mm
Product Type	PLC-Wireless
Quote Only	No
Resistance to Shock acc. to IEC 60068-2-27	T<=11ms, Shock b <30 m/s ²
RoHS Information	1SAA952002-4401
RoHS Status	No declaration needed
Selling Unit of Measure	piece
Short Description	WSIN080-M18N, ind.Sens. f.Wireless, 8mm
Stocked At (Warehouses)	Menden, Germany
Temperature Drift	+10 %
Tightening Torque	30 N·m
Two Speed Motor	No
UNSPSC	32151703
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

WSIN150-M30N

WSIN150-M30N, ind.Sens. f.Wireless, 15mm



General Information

Extended Product Type	WSIN150-M30N
Product ID	1SAF130921R3000
ABB Type Designation	WSIN150-M30N
Catalog Description	WSIN150-M30N, ind.Sens. f.Wireless, 15mm
Long Description	WSIN150-M30N, ind.Sens. f.Wireless, 15mm

Additional Information

ABB Type Designation	WSIN150-M30N
Ambient Air Temperature	Operation -25 ... 70 °C Storage -40 ... 70 °C
CN8	85413000
Country of Origin	Germany (DE)
Customs Tariff Number	85413000
Data Sheet, Technical Information	2CDC142004D0202
Declaration of Conformity - CE	1SAD938500-0067
Degree of Protection	acc. to IEC 60529 IP67
Environmental Information	1SAA952005-2401
Frame Size	Spare_Parts_Sc
Gross Weight	0.13 kg
Housing Material	Nickel plated brass
Hysteresis Range	<=10 %
Instructions and Manuals	2CDC142004D0202
Invoice Description	WSIN150-M30N, ind.Sens. f.Wireless, 15mm
Made To Order	No
Minimum Order Quantity	1 piece
Mounting Type	Non flush mounting
Object Classification Code	B
Operating Distance (S _n)	0 ... 12.15 mm
Order Multiple	1 piece
Product Main Type	WSIN150
Product Name	Sensor head
Product Net Depth / Length	60 mm
Product Net Height	30 mm
Product Net Weight	0.12 kg
Product Net Width	30 mm
Product Type	PLC-Wireless
Quote Only	No
Resistance to Shock acc. to IEC 60068-2-27	T<=11ms, Shock b <30 m/s ²
RoHS Information	1SAA952002-4401
RoHS Status	No declaration needed
Selling Unit of Measure	piece
Short Description	WSIN150-M30N, ind.Sens. f.Wireless, 15mm
Stocked At (Warehouses)	Menden, Germany
Temperature Drift	+10 %
Tightening Torque	30 N·m
Two Speed Motor	No
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

По вопросам продаж и поддержки обращайтесь:

Самары (7273)495-231
Саранск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48

Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курган (3522)50-90-47
Курск (4712)77-13-04
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Ноябрьск(3496)41-32-12

Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Пермь (342)205-81-47
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саранск (8342)22-96-24
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35

Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Улан-Удэ (3012)59-97-51
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

<https://abbdrives.nt-rt.ru/> || aei@nt-rt.ru